

GLOSSWOOD®



Acoustic Panels Square Profile 26mm x 26mm in Spotted Gum Satin

ACOUSTIC PANELS

Prefinished & Prefabricated Natural Timber Acoustic Panels for Walls & Ceilings

GLOSSWOOD®


ACOUSTIC PANELS

Glosswood Acoustic Panels reduce noise in the interior with the beautiful aesthetic of natural timber.


Acoustic Panel Square Profile 26mm x 26mm in Clear Ash Satin

- + NATURAL TIMBER
- + EXCELLENT ACOUSTIC RATING
- + PREFABRICATED - EASY TO INSTALL
- + RANGE OF COLOURS
- + LIGHTWEIGHT PANEL

The Acoustic Panels are made from solid Paulownia timber which is a lightweight plantation hardwood. Glosswood Acoustic Panels achieve exceptional acoustic results, with the highest result of **1.0 NRC rating** (Noise Reduction Coefficient). The Acoustic Panels come in a range of prefinished Matte and Satin colours and are ideal for quick and easy installation.



Installation Guide, Test Results and Technical Guide are available on our website www.glosswood.com.au Special requests can be produced on bespoke projects where volumes justify.



The Prefabricated and
Prefinished Acoustic Panels
are ideal for Commercial and
Residential Applications.

Standard Acoustic Panel lengths are 2700mm and 3600mm*. The Acoustic Panel is 368mm wide, with a 380mm cover. With our range of different profiles, there are endless design options. The standard batten profile is 26mm x 26mm and available in a Square Face and Round Face. 40mm and 60mm profiles are also available on request.

*Glosswood are able to manufacture the panels to length on request.

Colours

SATIN FINISH



White




Distressed White



Limewash



Clear Ash




Tasmanian Oak




Spotted Gum



Driftwood



Cedar



Jarrah



Blackbutt

MATTE FINISH



Smoke




Grey Mist



Spotted Gum




Teak




Cedar



Merbau



Jarrah



Possum



Charcoal

Dimensions and Coverage

ACOUSTIC PANELS

368mm wide x 30mm thick x 3.6m length (380mm cover)

Coverage per pack: 1.368m²

Standard batten size: 26mm x 26mm

NOTE: The printed colours on this brochure may vary to the actual timber colours.

NOTE: Comprehensive installation instructions for Acoustic Panels are provided in each pack.

For full information on profiles, dimensions and NRC Ratings please go to:

www.glosswood.com.au or call the Glosswood team on **1300 882 064**